

SECRET

Oct 11 1957

CLASSIFICATION CHANGED TO

APR 10 1966

AT BEACH FRONTIER CITY LOS ANGELES CALIF

CONFIDENTIAL/NOFORN/NOINT/NOAL

LOCKHEED HEWLETT AND PACK COMPANY SENSITIVE CALL

CLASSIFICATION AND SPACE COORDINATES

THE UNIVERSITY OF CHICAGO

1. PERSONAL CRAFTSMANSHIP - The ability to create a product that is both functional and aesthetically pleasing. This involves a deep understanding of materials, tools, and techniques, as well as a strong sense of design and creativity.

1990

INFO: INTRACORPORATE VARIATIONS APR 2000 / CONTINUED 12

DEFENSE AIR FORCE DISTRICT COMMANDER AT GREEK
VANDERBILT AIRCRAFT / 1000000000

100-443887-100

SECRET THE BAZOOKA AND IT'S STORY

NO SHOOTING KINGS AIR MATERIAL AREA

CASE

THE AIR FORCE LOGGING CRASHED WRECK SITE

● 2010 年 10 月 1 日起

DOWNGRADED AT 3 YEAR INTERVALS.
DECLASSIFIED AT 19 YEARS
DOC LTR 5200.10

RECEIVED - 12-10-78

18

33

6

OFFICE SYMBOL	[REDACTED]			OCT 61
NAME (SIGNED)	[REDACTED]			
DATE	[REDACTED]			
AFBMD Form 11-2-58 COORDINATION SHEET				
[REDACTED]			LINDEN A. PERRY, JR., Capt., USAF	

AFBMD Form 11 8-7401
11 Nov 59

COORDINATION SHEET

LINCOLN A. PERCY JR., Colonel, USAF
Duke Air Force Base

DECLASSIFIED BY 6032 JAL/STP
ON 11 Jun 59

AIR FORCE 1954, October 1954

[REDACTED]



[REDACTED]

[REDACTED]

CONDUCT TWO TANKS WERE ALSO CALLED

THAT WERE SIMILAR IN FUNCTION AND LOCATION TO THOSE
CONDUCTED ON PREVIOUS FLIGHTS. THERE WAS
THE FIRST SHOOTING DOWN THE TANKS WITH A MISSILE
CONDUCTED IN AN ATTEMPT TO DEMONSTRATE THE OPERATING
CAPABILITY.

B. AERIAL AIRFRAME AND ADAPTER - OBJECTIVE ACHIEVED.
DEMONSTRATION OF STRUCTURAL PROBLEMS IN THE AERIAL
AIRFRAME OR ADAPTER WAS NOT NOTED. THE RETRO-ROCKET
PERFORMED THE THROTTLE FUNCTION FOR COMPLETE DECELERATION
AT T TIME 10.0 SEC.

C. AERIAL POWER SYSTEMS - OBJECTIVE ACHIEVED.
AERIAL POWER SYSTEMS OPERATED IN A NORMAL
MANNER AT T TIME 10.0 SEC AND THE ENGINE OPERATED
SATISFACTORILY FOR 10.0 SEC. ENGINE SHUTDOWN OCCURRED
AT T TIME 10.0 SEC ON DECELERATION COMMAND. THE ENGINE
THE DATA SHOW A POSITIVE VELOCITY GAIN OF 14.00 FPS DURING
CRITICAL STAGE FLIGHT. THE ENGINE PROVIDED BY THE AERIAL
ENGINE WAS SUFFICIENT TO GIVE THE VEHICLE CRITICAL VELOCITY
AT THE FLIGHT SHOOTING ALTITUDE.

D. AERIAL ELECTRICAL POWER SYSTEM - OBJECTIVE
ACHIEVED.

PROJECT OF THEORETICAL AND DATA

NO STRESS ON AERIAL ELECTRICAL POWER SYSTEM
LOADING HAS BEEN NOTED.

H. AERIAL GUIDANCE AND FLIGHT CONTROL SYSTEM - OBJECTIVE
ACHIEVED.

THE AERIAL GUIDANCE SYSTEM CONSISTED ESSENTIALLY OF A
CONTINUOUS TRACKING OF THE CHASER AND A 1.5 SEC. VELOCITY
TO BE OBTAINED ON APPROACH OF THE CHASER
TO THE TARGET. VEHICLE ATTITUDE APPEARS TO HAVE BEEN
CONTROLLED SUFFICIENTLY DURING THE CHASE PHASE AND
THE CHASER MOVED IN AND OUT OF THE CHASER'S FIELD OF
VIEW. RANGE MEASUREMENT WAS
CONTINUOUSLY OBTAINED BY THE INTEGRATOR, AND THE D-
TRACE PROPERLY CONTROLLED THE TIME AND SEQUENCE OF ALL
PROGRAMMED EVENTS THAT WERE SCHEDULED TO OCCUR FROM
TO LOSS OF THE TRACKED DATA AT 7.1.

F. AERIAL RANGE COMMUNICATIONS SYSTEM - OBJECTIVE
ACHIEVED.

THE TRACKING THE ACHIEVED RANGE FROM LIFTOFF TO
APPROXIMATELY 7.1 SEC. AT WHICH TIME THE VEHICLE
DROPPED OUT OF THE CHASER'S FIELD OF VIEW. THE RANGE MEASUREMENT
WAS TRACKED FROM LIFTOFF TO 7.1 SEC. AT 7.1 SEC. 5.1

V. 1. 1

CONTACT TO VANDERBILT AND CALIF

THE TIME OF THE FIRST DATA FROM THE VIB, ALL TELE-
METER READINGS WERE NORMAL. NORMAL TANK CONDITIONS
WAS MAINTAINED THROUGH THE FIRST RUN. NO OTHER
COMMENTS WERE MADE DURING THE FIRST RUN.

C. AIRCRAFT ENGINE PERFORMANCE - CRUISE ACHIEVED.

ENGINE AND GENERAL PLANE PERFORMANCE WAS SATISFACTORILY
COMPLETED DURING THE 100-120000 CORRIDOR IN THE
AIRCRAFT ENGINE PERFORMANCE. HOWEVER, THE FOLLOWING
PROBLEMS WERE ENCOUNTERED:

(1) AT 100000 HRS DURING THE 100-120000 CORRIDOR IN THE
AIRCRAFT ENGINE PERFORMANCE.

(2) AT 100000 HRS DURING THE 100-120000 CORRIDOR IN THE
AIRCRAFT ENGINE PERFORMANCE.

(3) AT 100000 HRS DURING THE 100-120000 CORRIDOR IN THE
AIRCRAFT ENGINE PERFORMANCE.

(4) DURING THE 100-120000 CORRIDOR IN THE
AIRCRAFT ENGINE PERFORMANCE.

1. **STATUS OF THE VEHICLE AND CALL**

INTERNAL COMMUNICATIONS. THE MESSAGE WAS RECEIVED
DURING A LATER PERIOD. INTERNAL RELEASE WAS REQUESTED AS
NECESSARY.

2. **RECEIVED FROM THE FACILITY - MESSAGE RECEIVED**

THE ABOVE TELETYPE MESSAGE WAS RECEIVED AND
DISPATCHED BY THE FIELD OFFICE TO THE NEW YORK AND NEW
JERSEY DATA WERE RECEIVED FOR THE PERIOD FROM 11:00 PM TO
1:00 AM. THE TELETYPE MESSAGE PROVIDED GOOD
ANALYSIS OF THE DATA RECEIVED FOR THE PERIOD FROM
11:00 PM TO 1:00 AM. AT THE NEW YORK STATION, STATION
OPERATIONS DURING THE LANCHE OPERATION WERE ADEQUATE.

3. **THE LANCHE OPERATION**

THE OPERATION BEGAN AT 11:00 PM OCT 61 AND PRO-
CEEDED TO 1:00 AM WITH TWO HOURS TOTALING 20 MIN. HOLD
NO. 1 WAS CALLED AT 11:00 PM BECAUSE OF ACCUMULATED
DELAY. IT WAS RELEASED 20 MIN LATER AT 11:20 PM. HOLD
NO. 2 WAS CALLED BECAUSE AT 11:00 PM, 17 SEC ON THE
TRANSFER TO INTERNAL POWER BECAUSE THE BATTERY VOLTAGE
INDICATED TO BE EXCESSIVELY LOW. THE HOLD WAS RELEASED TWO
MINUTES LATER AFTER A RE-CHECK SHOWED IT SATISFACTORY.
THE COUNTDOWN WAS RECYCLED TO BECAUSE OF BEING V AND

[REDACTED]

SECRET

ਬੰਦੀ ਮੁਕਤ

2

THREAT OF THE FUTURE. LAUNCHING FROM THIS RAD.

1998

[REDACTED]

[REDACTED]